

iM70 VET / iM60 VET

Touch Screen Veterinary Monitor



iM70 VET / iM60 VET
Touch Screen Veterinary Monitor

About Edan

Edan is a healthcare company dedicated to improving the human condition around the world by delivering value-driven, innovative and high-quality medical products and services. For over 20 years, Edan has been pioneering a comprehensive line of medical solutions that address a broad range of healthcare practices including:

- Diagnostic ECG
- Patient Monitoring
- OB/GYN
- Ultrasound Imaging
- Point-of-Care Testing
- In-Vitro Diagnostics
- Veterinary

Healthcare professionals around the world depend on Edan's breakthrough medical technologies and outstanding customer support.



Edan Instruments, Inc. | 3/F-B, Nanshan Medical Equipments Park,
1019# Nanhai Rd., Shenzhen | 518067 P.R. China
+86.755.26898326 | www.edan.com.cn | info@edan.com.cn


© 2015 Edan Instruments, Inc. All rights reserved. Features and specifications are subject to change without prior notice. No reproduction, copy or transmission may be made without written permission.

ENG-PM-iM70 VET / iM60 VET-V0.1-20150902



iM70 VET / iM60 VET

Touch Screen Veterinary Monitor



iM70 VET
12.1" Color TFT-LCD Screen



iM60 VET
10.4" Color TFT-LCD Screen

Standard Parameters

- 3/5-lead ECG, HR, RESP, EDAN SpO₂, EDAN NIBP, PR, 2-TEMP

Optional Parameters

- Nellcor OxiMax™ SpO₂, SunTech NIBP, 2-IBP, EDAN G2 CO₂ (Sidestream), Respironics CO₂ (Mainstream and Sidestream), Masimo Anesthesia Gas/O₂ (iM70 VET)

Multiple Display Modes



End tidal Carbon Dioxide Monitoring



EDAN G2 CO₂ (Sidestream)

- Superior water trap design for accurate monitoring
- iCARB™ algorithm with intelligent CO₂ pseudo wave identification technology
- Multiple sampling accessories as options

Respironics CO₂ (Mainstream/Sidestream)

- Plug & play module design
- Dehumidification tube instead of water trap
- Low sampling rate of 50ml/min

MASIMO Anesthetic Gas/O₂ (Mainstream/Sidestream)



- Unique plug & play module for mainstream anesthetic gas monitoring
- The no moisture sampling line design suitable for all clinical application
- A stable low flow of 50ml/min

Built-in Temporary Memory:

1200 NIBP Measurement Review	120 h Trend Review
60 Alarm Review	120 s Frozen Waveform



No-fan Design

Pitch Tone

Thermal Recorder

Shortcut Menu



Defib Proof & Sync



ESU Proof



VGA Output



Wall Mount



Rolling Stand

